J. Bryol. (1985) **13**, 629–636

Index

(An asterisk indicates a new name or combination)

Acaulon crassinervium C. Muell., 476
A. robustum Broth. ex Roth, 476
A. triquetrum (Spruce) C. Muell., 476
Acrolejeunea pycnoclada (Tayl.) Schiffn., 506
Adams, K. J. and Wallace, E. C., obituary of A. J. Pettifer, 441
African hepatics, XXXIV. Some little-known or new Lejeuneaceae, E. W. Jones, 385
African hepatics, XXXV. Some new or little-known species and some noteworthy records, E. W. Jones, 497
African mosses, 129, 294, 592
Allen, B. H., Magill, R. E. and Crosby, M. R., Observations on the peristome and systematic position of *Tetrastichium fontanum* (Musci), 515
American mosses, 23, 33, 39, 193, 201, 479
Andrewsianthus puniceus (Nees) Schust. ex Grolle, 242
Aneura pinguis, 227
Anisothecium howei Ren. & Card., 115
Anoectangium warburgii Crundw. & M. Hill, Nineteenth century finds of, H. L. K. Whitehouse, 333
Antarctic mosses, 209, 509
Aphanolejeunea exigua Evans var. africana Pócs, 506
Appleyard, J., *Didymodon reedii* Robins., a moss new to the British Isles, 319
Appleyard, J., Hill, M. O. and Whitehouse, H. L. K., *Leptobarbula berica* (De Not.) Schimp. in Britain, 461
Aptychella proligera (Broth.) Herz., 197
Arabian bryophytes, Studies in, 3, *Crossidium asirense* (Pottiaceae), a new species from Asir Mountains (Saudi Arabia), W. Frey and H. Kürschner, 25
**Archidium minutissimum*, a new species from Queensland, Australia, I. G. Stone, 353
A. rothii Watts ex Roth, 475
**A. thalliferum* sp. nov. with a persistent cushion-shaped protonema unique in Musci, I. G. Stone, 345
**A. wattsii* comb. nov. in Australia, I. G. Stone, 153
Asiatic hepatics, 241, 269, 277
Asiatic mosses, 25, 163, 436
Atmospheric pollution, Element concentrations in five *Sphagnum* species in relation to, P. Ferguson, R. N. Robinson, M. C. Press and J. A. Lee, 107
Australasian mosses, 19, 129, 153, 159, 345, 353, 359, 369, 475
Australia, New records of mosses in, I. G. Stone, 475

Bacteria, Discovery of, in the cell wall of the aquatic liverwort *Jungermannia vulcanicola* Steph. in an acid stream, K. Satake and K. Miyasaka, 277
Baker, R. G. and Boatman, D. J., The effect of carbon dioxide on the growth and vegetative reproduction of *Sphagnum cuspidatum* in aqueous solutions, 399
Baker, R. G., *see also* Janssens, J. A.
Barbula calobolax C. Müll, 370
B. ehrenbergii (Lor.) Fleisch., 115
B. fallax Hedw., 202
B. indica (Hook.) Spreng., 476
Bauer, C. R., *see* Crosby, M. R.
Bazzania pectinata (Lindenb. & Gott.) Schiffn., 242
Bell, P. A. and Woodcock, C. L. F., *The diversity of green plants*, review, 295
Boatman, D. J., *see* Baker, R. G.
Brachymitrion moritzianum (C. Muell.) Kop., 196
Brachythecium reflexum (Starke ex Web & Mohr) B., S. & G., 202
Bradt, P. T., *see* Pritchard H. N.
Bruchia eckloniana C. Muell., 129
Bryum algens Card., 209
B. gemmilucens Wilcz. & Dem., 115
B. pachycladum Card. ex P. Vard., 436
B. pallescens Schleich. ex Schwaegr., 423, 429
B. wightii Mitt., 436
Bud induction in *Bryum pallescens* Schleich. ex Schwaegr., Effect of three cytokinins on, Sarla and R. N. Chopra, 429
Buds, Induction of, in the moss *Bryum pallescens* Schleich. ex Schwaegr. by a

metal chelate, Fe-EDTA, R. N. Chopra and Sarla, 423

Callus, Induction of, in *Marchantia palmata* Nees, S. Dhingra-Babbar and R. N. Chopra, 585
Calycularia crispula Mitt., 497
C. golae Gerola, 497
Campylopus Brid. in Sri Lanka, A survey of the genus, J.-P. Frahm, 163
Campylopus flora of Australia, Additions to the, D. G. Catcheside and J.-P. Frahm, 359
C. angustilimbatus Bartr., 360
C. aureus Bosch & Lac., 165
**C. australis* Catcheside & Frahm, nom. nov., 360
C. brittonae Williams, 329
C. carreiroanus Card., 329
C. caudatus (C. Müll.) Mont., 166
C. comosus (Schwaegr.) Bosch & Lac., 166
C. denticuspes Broth., 365
C. ericoides (Griff.) Jaeg., 169
C. exasperatus (Nees & Blum) Brid., 169
C. flagelliferus (C. Müll.) Jaeg., 172
C. flavo-nigritus Dus., 364
C. flavo-viridis Dus., 363
C. flexuosus (Hedw.) Brid., 365
**C. flindersii* Catcheside & Frahm, sp. nov., 362
C. goughii (Mitt.) Jaeg., 172
C. gracilis (Mitt.) Jaeg., 176
C. herzogii Broth., 165
C. involutus (C. Müll.) Jaeg., 176
C. kirkii Mitt., 365; var. *pilosus* Frahm, 366
C. laetus (Mitt.) Jaeg., 179
C. latinervis (Mitt.) Jaeg., 176
C. nietneri (C. Müll.) Jaeg., 176
C. nilghiriensis (Mitt.) Jaeg., 172
C. nodiflorus (C. Müll.) Jaeg., 165
C. perauriculatus Broth., 366
C. pilifer Brid., 179
C. pseudogracilis Card & Dix., 172
C. pterotoneuron (C. Müll.) Jaeg., 187
C. reduncus (Reinw. & Hornsch.) Bosch & Lac., 166
C. recurvus (Mitt.) Jaeg., 179
C. savannarum (C. Müll.) Mitt., 179
C. sedgwickii Dix., 182
C. shawii Wils., The world-wide range of, J.-P. Frahm, 329
C. subappressifolius Broth. & Geh., 364
C. subtricolor Lor., 165
C. subulifolius Thwait. & Mitt., 182
C. thwaitesii (Mitt.) Jaeg., 186
C. trachythecius (C. Müll.) Jaeg., 166
C. umbellatus (Arn.) Par., 186, 360; var. *pterotoneuron* (C. Müll.) Frahm, 186
C. underwoodii Williams, 329
C. walheri (Mitt.) Jaeg., 189
Carbohydrates of axenically cultured hepatics and of those collected from the field, A. Christie, K. Pocock, D. H. Lewis and J. G. Duckett, 417
Carbon dioxide, effect of on *Sphagnum* in aqueous solutions, 399
Carothers, Z. B., *see* Rushing, A. E.
Casas, C. and Peñuelas, J., *Dichelyma falcatum* (Hedw.) Myr., a glacial relict, new to southern Europe, 591
Castaldo-Cobianchi, R. and Giordano, S.: An adaptative pattern for water conduction in the ectohydric moss *Zygodon viridissimus* var. *rupestris* Hartm., 235
The wall structure of the 'reticulate' cells of *Conocephalum conicum* (L.) Dum., observed by SEM, 407
Catcheside, D. G. and Frahm, J.-P., Additions to the *Campylopus* flora of Australia, 359
Cephalozia lunulifolia (Dum.) Dum., 247
Cephaloziella aeraria (Pears.) K. Muell., 5
C. massalongi (Spruce) K. Muell., 1
C. nicholsoni Douin & Schiffn. distinguished from C. *massalongi* (Spruce) K. Muell., J. A. Paton, 1
Chaetomitrium volutum Mitt., 436
**Cheilolejeunea cordistipula* (Steph.) Grolle ex E. W. Jones, comb. nov., 395
Chiloscyphus pallescens (Ehrh. ex Hoffm.) Dum., 247
**Chonecolea ruwenzorensis* E. W. Jones, sp. nov., 498
Chopra, R. N. and Sarla, Induction of buds in the moss *Bryum pallescens* Schleich. ex Schwaegr. by a metal chelate, Fe-EDTA, 423
Chopra, R. N., *see also* Dhingra-Babbar, S. and Sarla
Christie, A., Pocock, K., Lewis, D. H. and Duckett, J. G., A comparison between the carbohydrates of axenically cultured hepatics and of those collected from the field, 417
Cinclidotus fontinaloides (Hedw.) P. Beauv., 115
Clarke, G. C. S., Recent bryological literature, 137, 299, 443, 605

Clayton-Greene, K. A., Collins, N. J., Green, T. G. A. and Proctor, M. C. F., Surface wax, structure and function in leaves of Polytrichaceae, 549
Climacium dendroides (Hedw.) Web. & Mohr, 477
Collins, N. J., *see* Clayton-Greene, K. A.
Cololejeunea calcarea (Libert.) Schiffn., 489
C. peraffinis Schiffn. var. *elegans* Benedix, 506
C. rossettiana (Mass.) Schiffn., 489
**C. schaeferi* spec. nov., ein verkanntes Lebermoos in Makaronesien, R. Grolle, 488
Conduction in the ectohydric moss *Zygodon viridissimum* var. *rupestris* Hartm., 235
Conocephalum conicum (L.) Dum., The wall structure of the 'reticulate' cells of, observed by SEM, R. Castaldo-Cobianchi and S. Giordano, 407
Corley, M. F. V. and Perry, A. R., *Scopelophila cataractae* (Mitt.) Broth. in south Wales, new to Europe, 323
Costa Rica, New and interesting mosses from, H. Crum and P. W. Richards, 193
Crompton, G. and Whitehouse, H. L. K., *A checklist of the flora of Cambridgeshire*, review, 295
Crosby, M. R. and Bauer, C. R., Notes on the citation of two combinations in *Thamnobryum* (Musci), 281
Crosby, M. R., *see also* Allen, B. H.
**Crossidium asirense* Frey & Kürschner, sp. nov., 25
Crum, H., *Sphagnopsida, Sphagnaceae*, review, 437
Crum, H. and Richards, P. W., New and interesting mosses from Costa Rica, 193
Cryptothallus mirabilis Malm. 227
Cyclodictyon laetevirens (Hook. & Tayl.) Mitt., 593

Daniels, R. E.:
An unusual form of *Sphagnum auriculatum* Schimp. from the Sierra de Gredos, Spain, 337
Isozyme variation in populations of *Sphagnum recurvum* var. *mucronatum* from Britain and Finland, 563
Dhingra-Babbar, S. and Chopra, R. N.:
Induction of callus in the liverwort *Marchantia palmata* Nees, 585
Production of protonemal gemmae in the moss *Semibarbula orientalis* (Web.) Wijk & Marg., 533
Dichelyma falcatum (Hedw.) Myr., a glacial relict, new to southern Europe, C. Casas and J. Peñuelas, 591
Dicranella staphylina Whitehouse, 131
Dicranodontium denudatum (Brid.) Britt., 194
Dicranum bergeri Bland. ex Hoppe, 293
Didymodon arcticus Broth., 435
D. reedii Robins., a moss new to the British Isles, J. Appleyard, 319
Dirkse, G. M., Three mosses new to the Canary Islands, 592
Discelium nudum (Dicks.) Brid., chromosomes, 264
Ditrichum heteromallum (Hedw.) Britt., Rhizoidal tubers on, S. Risse, 527
Duckett, J. G., *see* Christie, A., Pocock, K. and Rushing, A. E.
Duncan, U. K., obituary, 595

Eccremidium (Ditrichaceae) new to South America, D. M. Vital and A. Egunyomi, 39
E. floridanum Crum, 39
Egunyomi, A., *see* Vital, D. M.
Ephemerum capense C. Muell., 129
E. perminutum Townsend, 129
E. rehmannii (C. Muell.) Broth., 130
E. rehmannii (C. Muell.) Broth., 130
Erpodium biseriatum (Aust.) Aust., 477

Ferguson, P., Robinson, R. N., Press, M. C. and Lee, J. A., Element concentrations in five *Sphagnum* species in relation to atmospheric pollution, 107
Fissidens biformis Mitt., 475
F. crassipes Wils. ex B., S. & G., 115
F. glaucescens Hornsch., 475
F. hebetatus Catcheside, 475
**F. henryae*, a new species from Queensland, Australia, I. G. Stone, 159
F. intromarginatulus Bartr., 475
F. nymanii Fleisch., 475
Fontinalis antipyretica Hedw., 115, 257
Frahm, J.-P.:
A survey of the genus *Campylopus* Brid. in Sri Lanka, 163
The world-wide range of *Campylopus shawii* Wils., 329
Frahm, J.-P., *see also* Catcheside, D. G.
Frey, W. and Kürschner, H. Studies in Arabian bryophytes, 3, *Crossidium*

asirense (Pottiaceae), a new species from Asir Mountains (Saudi Arabia), 25
Frisvoll. A. A.:
James Stirtons new *Racomitrium* taxa revised, 377
Taxonomic note on *Racomitrium crispulum* (Hook f. et Wils.) Hook. f. et Wils., 285
The identity of *Didymodon arcticus* Broth. of *Index muscorum*, 435
The identity of *Trichostomum saxatile* Tayl. and *T. microcarpon* β *oblongum* Tayl., two names in the *Racomitrium heterostichum* group, 291
Fungal endophytes in *Cryptothallus mirabilis* Malm. and other British thalloid hepatics, A comparative ultrastructural analysis of the, K. Pocock and J. G. Duckett, 227

Giordano, S., *see* Castaldo-Cobianchi, R.
Glime, J. M., Theories on adaptations to high light intensity in the aquatic moss *Fontinalis*, 257
Godley, E. J., obituary of E. A. Hodgson, 597
Greek liverworts, A check-list of, Addendum, C. D. Preston, 97
Greek mosses, A check-list of, C. D. Preston, 43
Green, T. G. A., *see* Clayton-Greene, K. A.
Grimmia calvescens Stirt., 378
G. fuscoviridis Stirt., 379
G. papillulata Stirt., 380
G. pulvinata (Hedw.) Sm., 115
G. sublurida Stirt., 377
Grolle, R., *Cololejeunea schaeferi* spec. nov., ein verkanntes Lebermoos in Makaronesien, 487
Grolle, R., *see also* Pocock, K.
Gymnostomiella vernicosa (Hook.) Fleisch. 476
Gymnostomum aeruginosum Sm., chromosomes, 264

Haplohymenium pseudo-triste (C. Muell.) Broth., 478
Helicodontium capillare (Hedw.) Jaeg., 478
Heterophyllium affine (Hook. ex Kunth) Fl., 197
Hill, M. O.:
Review of *Characteristic features of the moss flora of the various parts of Europe* by P. Størmer, 135
Review of *Collins guide to the ferns, moss and lichens of Britain and north and central Europe* by H. M. Jahns, 135
Review of *Sphagnopsida, Sphagnaceae* by H. Crum, 437
Hill, M. O., *see also* Appleyard, J.
Hodgson, E. A., obituary, 597
Holocene occurrence of the moss *Bryum algens* Card. in the Vestfold Hills, Antarctica, J. Pickard and R. D. Seppelt, 209
Hygroamblystegium tenax (Hedw.) Jenn., 115
Hyophila microcarpa (Schimp.) Broth., 194
Hypnum africanum (P. Varde) Ochyra, 294
**H. bizotii* nom. nov., a new name for an African moss, R. Ochyra, 294

Iowa, south-eastern, U.S.A., A full-glacial bryophyte assemblage from J. A. Janssens and R. G. Baker, 201
Isoviita, P. Three correct names, *Dicranum bergeri, Mielichhoferia mielichhoferiana, Platydictya jungermannioides*, 293
Isozyme variation in populations of *Sphagnum recurvum* var. *mucronatum* from Britain and Finland, R.E. Daniels, 563

Jahns, H. M., *Collins guide to the ferns, mosses and lichens of Britain and central Europe*, review, 135
Janssens, J. A. and Baker, R. G., A full-glacial bryophyte assemblage from south-eastern Iowa, U.S.A., 201
Jones, E. W.:
African hepatics, XXXIV, Some little-known or new Lejeuneaceae, 385
African hepatics, XXXV, Some new or little-known species and some noteworthy records, 497
Review of *Hepaticae of the Amazon and of the Andes of Peru and Equador* by R. Spruce, 439
Schiffner's cell measurements, 435
Jungermannia vulcanicola Steph., 101, 277

Kaul, A., *see* Patidar, K.C.
**Koponenia*, a new genus of pleurocarpous moss from Bolivia, R. Ochyra, 479
**K. holoneuron* (Herzog) Ochyra, comb. nov., 482
Kürschner, H., *see* Frey, W.

Leaf structure, Studies on the, in some species of Leucobraceae, III, *Leucobryum sanctum* (Brid.) Hampe and *Leucobryum* sp., R. Ligrone, 411
Lee, J. A., *see* Ferguson, P.
**Lejeanea aethiopica* E. W. Jones, sp. nov., 387
**L. amaniensis* E. W. Jones, sp. nov., 392
L. dipterocarpa E. W. Jones, 506
L. hepaticola Steph., 385
Lepidopilum virens Card., 593
Lepidozia ophiria Steph., 242
L. trichodes Steph., 242
Leptobarbula berica (De Not.) Schimp. in Britain, J. Appleyard, M. O. Hill and H. L. K. Whitehouse, 461
**Leptodontium ramosum* (rum & Richards, sp. nov., 194
Leucobryum sanctum (Brid.) Hampe, 411
Lewis, D. H., *see* Christie, A.
Light intensity, high, Theories on adaptation to, in the aquatic moss *Fontinalis*, J. M. Glime, 257
Lightowlers, P. J., Taxonomic notes on New Zealand species of *Tortula*, 369.
Ligrone, R., Studies on the leaf structure in some species of Leucobryaceae, III, *Leucobryum sanctum* (Brid.) Hampe and *Leucobryum* sp. (Leucobryeae), 411
Longton, R. E., review of *Biology of non-vascular plants* by H. N. Pritchard and P. T. Bradt, 296
Lunularia cruciata, 229

McDonald, A. J. S., *see* Rydin, H.
Magill, R. E., *see* Allen, B. H.
Mallock, A. J. C., Review of *The diversity of green plants*, 3rd ed., by P. A. Bell and C. L. F. Woodcock, 295
Marchantia palmata Nees, 585
Marchesinia moelleriana Person, 506
Mercury accumulation, high, Evidence of, in the cell wall of the liverwort *Jungermannia vulcanicola* Steph. to form particles of a mercury-sulphur compound, K. Satake and K. Miyasaka, 101
Metzgeria saxbyi Pearson, 502
Mielichhoferia mielichhoferiana (Funck) Lieske, 293
Mittenothamnium laxulum (Bartr.) Bowers, 199
Miyasaka, K., *see* Satake, K.
Mohamed, M. A. H., Notes on two mosses from South India and Sri Lanka, 436
Mohamed, M. A. H., *see also* Pocock, K.
Moss cytotaxonomy, Questions of procedure in, new data for some British species, M. E. Newton, 263
Myxomycetes fruiting upon bryophytes, coincidence or preference?, S. L. Stephenson and S. M. Studler, 537

New Zealand species of *Tortula*, Taxonomic notes on, P. J. Lightowlers, 369
Newton, M. E., Questions of procedure in moss cytotaxonomy, new data for some British species, 263
Nordhorn-Richter, G., *Pohlia andrewsii* in the European Alps, 15
Notothylas decurva Mitt., 503
N. flabellata Steph., 504
N. indica Kashyap & Dutt, 504

Ochyra, R.:
Hypnum bizotii nom. nov., a new name for an African moss, 294
Koponenia, a new pleurocarpous moss genus from Bolivia, 479
Odontolejeunea tortuosa (Lehm. & Lindenb.) Steph., 507

Pang, W. C., *see* Pocock, K.
Patidar, K. C. and Kaul, A., Response of growth to soil moisture, a laboratory and field investigation of *Riccia discolor* L. et L., 269
Paton, J. A., *Cephaloziella nicholsoni* Douin & Schiffn. distinguished from *C. massalongi* (Spruce) K. Muell., 1
Peñuelas, J., Pigment and morphological response to emersion and immersion of some aquatic and terrestrial mosses in N. E. Spain, 115
Peñuelas, J., *see also* Casas, C.
Perry, A. R., *see* Corley, M. F. V.
Pettifer, A. J., obituary, 441
Phascum cuspidatum Hedw., 476
Photosynthesis in *Sphagnum* at different water contents, H. Rydin and A. J. S. McDonald, 579
Physcumitrium sphaericum (Hedw.) Brid., chrosomes, 264
Pickard, J. and Seppelt, R. D., Holocene occurrence of the moss *Bryum algens* Card. in the Vestfold Hills, Antarctica, 209

Pigment and morphological response to emersion and immersion of some aquatic and terrestrial mosses in N. E. Spain, J. Peñuelas, 115
Plagiomnium ellipticum (Brid.) Kop., chromosomes, 264
Platydictya jungermannioides (Brid.) Crum, 294
Pleuridium ecklonii (C. Muell.) Snider, 129
Pocock, K. and Duckett, J. G., A comparative ultrastructural analysis of the fungal endophytes in *Cryptothallus mirabilis* Malm. and other British thalloid hepatics, 227
Pocock, K., Duckett, J. G., Grolle, R., Mohamed, M. A. H. and Pang, W. C., Branched and swollen rhizoids in hepatics from montane rain forest in Peninsular Malaya, 241
Pocock, K., *see also* Christie, A.
Pohlia andrewsii in the European Alps, G. Nordhorn-Richter, 15
Polytrichaceae, Surface wax, structure and function of leaves in, 549
Porella subdentata (Mitt.) E. W. Jones, 391
Pottia intermedia (Turn.) Furnr. with rhizoidal tubers, S. Risse, 523
Preissia quadrata, 229
Press, M. C., *see* Ferguson, P.
Preston, C. D.:
A check-list of Greek liverworts, Addendum, 97
A check-list of Green mosses, 43
Preston, C. D. and Whitehouse, H. L. K., *Trichostomopsis umbrosa* in semi-natural chalk habitats, 471
Pritchard, H. N. and Bradt, P. T., *Biology of nonvascular plants*, review, 296
Proctor, M. C. F., review of *A checklist of the flora of Cambridgeshire* by G. Crompton and H. L. K. Whitehouse, 295
Proctor, M. C. F., *see also* Clayton-Greene, K. A.
Psiloclada clandestina Mitt., 242
Pterogonium glacile (Hedw.) Sm., 115
Pterygoneurum cf. *ovatum* in the Antarctic, A unique community of pioneer mosses dominated by, R. I. L. Smith, 509
Pursellia phyllogonioides (Sull.) Lin, 478
Pycnolejeunea angustiflora Steph., 395
Pylaisiella falcata (B., S. & G.) Ando, 200

Racomitrium aquaticum (P. Beauv.) Brid., 593
R. consocians Stirt., 382
R. crispulum (Hook. f. et Wils.) Hook. f. et Wils., Taxonomic note on, A. A. Frisvoll, 285
R. divergens Stirt., 382
R. ellipticum (Turn.) B. & S., 380
R. ericoides, 382
R. heterostichum var. *amblyphyllum* Stirt., 381
R. obtusum (Brid.) Brid., 291
R. Sudeticum (Funck) B. & S., 378
Recent bryological literature, 137, 299, 443, 605
Rhizoids, Branched and swollen, in hepatics from montane rain forest in Peninsular Malaya, K. Pocock, J. G. Duckett, R. Grolle, M. A. H. Mohamed and W. C. Pang, 241
Rhynchostegium riparioides (Hedw.) Card., 115
Riccardia chamedryfolia, 228
R. incurvata, 228
R. multifida, 228
Riccia discolor L. et L., 269
R. fluitans L., 505
Richards, P. W., *Sciaromium lacustre* Herzog & Richards, sp. nov., a deep-water moss from Lake Titicaca (South America), with notes on its ecology, 33
Richards, P. W., *see also* Crum, H.
Risse, S.:
Pottia intermedia (Turn.) Furnr. With rhizoidal tubers, 523
Rhizoidal tubers on *Ditrichum heteromallum* (Hedw.) Britt., 527
Robinson, R. N., *see* Ferguson, P.
Rushing, A. E., Carothers, Z. B. and Duckett, J. G., Comparative spermatogenesis in the Jungermanniales (Hepaticae), I. Observations on the structure of the young spermatids of *Cephalozia lunulifolia* and *Chiloscyphus pallescens*, 247
Rydin, H. and McDonald, A. J. S.:
Photosynthesis in *Sphagnum* at different water contents, 579
Tolerance of *Sphagnum* to water level, 572

Sarla and R. N. Chopra, Effect of three cytokinins on bud induction in *Bryum pallescens* Schleich. ex Schwaegr., 429
Sarla, *see also* Chopra, R. N.

Satake, K. and Miyasaka, K.:
Discovery of bacteria in the cell wall of the aquatic liverwort *Jungermannia vulcanicola* Steph. in an acid stream, 277
Evidence of high mercury accumulation in the cell wall of the liverwort *Jungermannia vulcanicola* Steph. to form particles of a mercury-sulphur compound, 101
Schiffner's cell measurements, E. W. Jones, 435
Schoenobryum concavifolium (Griff.) Gangulee, 477
Schuster, R. M., *New manual of bryology*, Vol. 1, Review, 438
Sciaromium holoneuron Herzog, 482
**S. lacustre* Herzog & Richards, sp. nov., a deep-water moss from Lake Titicaca (South America), with notes on its ecology, P. W. Richards, 33
Scopelophila cataractae (Mitt.) Broth. in south Wales, new to Europe, M. F. Y. Corley and A. R. Perry, 323
**Sematophyllum serrulatum* Crum & Richards, sp. nov., 197
Semibarbula orientalis (Web.) Wijk & Marg., Production of protonemal gemmae in, S. Dhingra-Babbar and R. N. Chopra, 533
Seppelt, R. D., *see* Pickard, J.
Smith, R. I. L. A unique community of pioneer mosses dominated by *Pterygoneuron* cf. *ovatum* in the Antarctic, 509
Soil moisture, Response of growth to, a laboratory and field investigation of *Riccia discolor* L. et L., K. C. Patidar and A. Kaul, 269
South Africa and Australia, Notes on four species of moss which are common to, I. G. Stone, 129
Spermatogenesis, Comparative, in the Jungermanniales (Hepaticae), I, Observations on the structure of the young spermatids of *Cephalozia lunulifolia* and *Chiloscyphus pallescens*, A. E. Rushing, Z. B. Carothers and J. G. Duckett, 247
Sphagnum, Element concentrations in, in relation to atmospheric pollution, 107
Sphagnum, Tolerance of, to water level, H. Rydin and A. J. S. McDonald, 571
S. auriculatum Schimp., An unusual form of, from the Sierra de Gredos, Spain, R. E. Daniels, 337
S. balticum (Russ.) C. Jens., 572
S. cuspidatum in aqueous solutions, The effect of carbon dioxide on the growth and vegetative reproduction of, R. G. Baker and D. J. Boatman, 399
S. fuscum (Schimp.) Klinggr., 572, 579
S. recurvum var. *mucronatum 7(Russ.) Warnst., 563*
S. rubellum Wils., 572, 579
S. tenellum (Brid.) Brid., 572, 579
Splachnobryum Wattsii Broth., 153
S. wiemansii Fleisch., 477
Spruce, R., *Hepaticae of the Amazon and of the Andes of Peru and Equador*, review, 439
Stephenson, S. L. and Studler, S. M., Myxomycetes fruiting upon bryophytes, coincidence or preference?, 537
Stirton's new *Racomitrium* taxa revised, A. A. Frisvoll, 377
Stone, I. G.:
Archidium minutissimum, a new species from Queensland, Australia, 353
A. thalliferum sp. nov. with a persistent cushion-shaped protonema unique in Musci, 345
A. wattsii comb. nov. in Australia, 153
Fissidens henryae, a new species from Queensland, Australia, 159
New records of mosses in Australia, 475
Notes on four species of moss which are common to South Africa and Australia, 129
Uleobryum curtisii sp. nov. (Pottiaceae) from Queensland, Australia, 19
Størmer, P., *Characteristic features of the moss flora of the various parts of Europe*, review, 135
Strepsilejeunea cordistipula Steph., 395
Studlar, S. M., *see* Stephenson, S. L.
Surface wax, structure and function in leaves of Polytrichaceae, K. A. Clayton-Greene, N. J. Collins, T. G. A. Green and M. C. F. Proctor, 549
Swinscow, T. D. V., *Tortula solmsii* (Schimp.) Limpr. in South Devon, 131

Tetrastichium fontanum, Observations on the peristome and systematic position of, B. H. Allen, R. E. Magill and M. R. Crosby, 515
Thamnobryum alopecurum (Hedw.) Gang., 282
T. angustifolium (Holt) Nieuw., 282

Tortula anderssonii Ångstr., 369
**T. arenae* (Besch.) Broth. ssp. *petriei* (Broth.) Lightowlers, comb. nov., 371
T. bealeyensis . Br. ter., 369, 476
T. pachyneura Dix., 369
T. papillosa Wils. on a wall, Some observations on the occurrence of, Wearmouth, S. M., Woolven, S. C. and Whitehouse, H. L. K., 9
T. petriei Broth., 370
T. robusta Hook. & Grev., 371
T. rubra Mitt., 371; *var. *subantarctica* (Sainsb.) Lightowlers, comb. nov., 373
T. serrata Dix., 374
T. serrulata Hook. & Grev., 373
T. solmsii (Schimp.) Limpr. in South Devon, T. D. V. Swinscow, 131
T. stanfordensis Steere, 477
T. subantarctica, 371
Trematodon acutus C. Muell., 476
**Trichosteleum sarapiquensis* Crum & Richards, sp. nov., 198
**T. volutum* (Mitt.) Mohamed, comb. nov., 436
Trichostomopsis umbrosa in semi-natural chalk habitats, C. D. Preston and H. L. K. Whitehouse, 471
Trichostomum brachydontium Bruch, 115
T. crispulum Bruch, 115

**Uleobryum curtisii* sp. nov. (Pottiaceae) from Queensland, Australia, I. G. Stone, 19
U. peruvianum Broth., 23, 477

Vesicularia vesicularis (Schwaegr.) Broth., 200
Vital, D. M. and Egunyomi, A., *Eccremidium* (Ditrichaceae) new to South America, 39

Wallace, E. C., *see* Adams, K. J.
Water conduction, An adaptative pattern for, in the ectohydric moss *Zygodon viridissimus* var. *rupestris* Hartm., R. Castaldo-Cobianchi and S. Giordano, 235
Watson, E. V., obituary of U. K. Duncan, 595
Wearmouth, S. M., Woolven, S. C. and Whitehouse, H. L. K., Some observations on the occurrence of *Tortula papillosa* Wils. on a wall, 9
Whitehouse, H. L. K.:
Nineteenth-century finds of *Anoectangium warburgii* Crundw. & M. Hill, 333
Review of *New manual of bryology*, vol. 1, ed. by R. M. Schuster, 438
Survival of a moss, probably *Dicranella staphylina*, in soil stored for nearly 50 years, 131
Whitehouse, H. L. K., *see also* Appleyard, J., Crompton, G., Preston, C. D. and Wearmouth, S. M.
**Willia calobolax* (C. Müll.) Lightowlers, comb. nov. 370; *var. *angustinervia* (C. Müll.) Lightowlers, comb. nov., 370
Woodcock, C. L. F., *see* Bell, P. A.
Woolven, S. C., *see* Wearmouth, S. M.

Zoopsis liukiuensis Horik., 242
Zygodon viridissimus var. *rupestris Hartm.*, *235*